

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| S1 | 1 | (compar\$3 match\$3) near5 (data information) near5 sequenc\$3 same (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S2 | 277 | (compar\$3 match\$3) near5 (data information) same (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S3 | 23 | (compar\$3 match\$3) near5 dna and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|----|-------|--|---|----|----|---------------------|
| S4 | 22622 | blast near5 search | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S5 | 17123 | (blast near5 search\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S6 | 1109 | (blast near5 search\$3) same biolog\$4 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S7 | 298 | (blast near5 search\$3) near10 biolog\$4 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S8 | 1 | (blast near5 search\$3) near10 biolog\$4 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") and "707".clas. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S9 | 292 | (blast near5 search\$3) near10 compar\$4 near10 (database (data adj base) repositor\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S10 | 32 | (blast near5 search\$3) near10 compar\$4 near10 (database (data adj base) repositor\$3) same (exist\$3 redundan\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S11 | 16 | (blast near5 search\$3) near10 compar\$4 near10 (database (data adj base) repositor\$3) same (redundan \$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S12 | 178 | (check\$3 determin\$3 determination identif\$3) near5 (database (data adj base) repositor\$3) near5 (redundan\$2) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S13 | 101 | (check\$3 determin\$3 determination identif\$3) near5 (database (data adj base) repositor\$3) near5 (redundan\$2) same (biolog\$4 dna sequenc\$3) and (@ad<"20021022" @pd<"20021022" @riad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S14 | 4 | (check\$3 determin\$3 determination identif\$3) near5 (database (data adj base) repositor\$3) near5 (redundan\$2) same (biolog\$4 dna sequenc\$3) same (deposit \$3 archiv\$3) and (@ad<"20021022" @pd<"20021022" @riad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S15 | 2 | (blast near5 search\$3) near10 biolog\$4 and (mirror \$3 near5 (database (data adj base) repositor\$3)) and (@ad<"20021022" @pd<"20021022" @riad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| | | | | | | |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S16 | 9 | (mirror\$3 near5 (database (data adj base) repositor\$3)) and 702/19.ccls. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S17 | 3 | (mirror\$3 near5 (search\$3 updat\$3)) and 702/19.ccls. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S18 | 1 | (planaria near5 (database (data adj base))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S19 | 2 | (planarian near5 (database (data adj base))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S20 | 132 | (planaria\$1 and (database (data adj base))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S21 | 84 | (planaria\$1 and (database (data adj base))) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S22 | 1 | "20020102604" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S23 | 961 | (blast near5 (search\$3 quer \$4)) same (interval dynamic \$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S24 | 3 | updat\$4 same (blast near5 (search\$3 quer\$4)) same (automatic\$4 interval dynamic \$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S25 | 20 | (blast near5 (search\$3 quer \$4)) same (interval dynamic \$4 period periodically) and 702/19.ccls. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S26 | 38 | (blast near5 (search\$3 quer \$4)) same (interval dynamic \$4 period periodically) and "702".clas. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S27 | 18 | S26 not S25 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S28 | 11 | (blast near5 (search\$3 quer \$4)) same (interval dynamic \$4 period periodically) and "707".clas. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S29 | 18 | (blast near5 (search\$3 quer \$4)) near10 (interval dynamic \$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S30 | 5 | (updat\$4 repeat\$3 loop\$3) with (blast near5 (search\$3 quer\$4)) with (automatic\$4 interval dynamic\$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S31 | 3988 | (updat\$4 repeat\$3 loop\$3) with ((search\$3 quer\$4)) with (automatic\$4 interval dynamic \$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S32 | 408 | (updat\$4 repeat\$3 loop\$3) with ((search\$3 quer\$4)) with (automatic\$4 interval dynamic \$4 period periodically) and 707/3.ccls. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|----|---|---|----|----|---------------------|
| S33 | 16 | (divi\$4 partition\$3) near5 (remain\$3 unfinished undone incomplete) near5 (job queue) and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S34 | 22 | (divi\$4 partition\$3) near5 (search\$3 quer\$5) same (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S35 | 42 | (divi\$4 partition\$3) near5 (search\$3 quer\$5) and (biolog \$4 dna) and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S36 | 5 | ("2001/0053957").URPN. | USPAT | OR | ON | 2009/11/05 10:03 |
| S37 | 42 | (divi\$4 partition\$3) near5 (search\$3 quer\$5) and (biolog \$4 dna) and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S38 | 5 | ("5577249" "5706498" "5862325" "5970500" "6303297").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S39 | 42 | (blast) near5 (search\$3 quer\$4 compar\$4) and (load work) near5 balanc\$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S40 | 15 | (add\$3 insert\$3 input\$4 register\$3 cop\$4) near5 (record entry) same (check\$3 detect\$3 identif\$4) near5 (duplicat\$3 redundan\$2 exist\$3) near5 (database (data adj base)) and (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S41 | 10 | (add\$3 insert\$3 input\$4 register\$3 cop\$4) near5 (record entry) same (check\$3 detect\$3 identif\$4) near5 (duplicat\$3 redundan\$2 exist \$2) near5 (database (data adj base)) and (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @riad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S42 | 59 | (add\$3 insert\$3 input\$4 register\$3 cop\$4) near5 (record entry) same (check\$3 detect\$3 identif\$4) near5 (duplicat\$3 redundan\$2 exist \$2) near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @riad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S43 | 8 | ("5900871" "5907326" "5678039" "5944790" "5664206" "5579223" "6349275" "6567973").pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|----|---|---|----|----|---------------------|
| S44 | 1 | "6163785".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S45 | 11 | (US-20010049676-\$ or US-20030217078-\$ or US-20030133556-\$ or US-20020194173-\$ or US-20030036857-\$ or US-20030125315-\$).did. or (US-7231390-\$ or US-5852715-\$ or US-6351753-\$ or US-5471622-\$ or US-6343275-\$).did. | US-PGPUB; USPAT | OR | ON | 2009/11/05 10:03 |
| S46 | 1 | 10/532198 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S47 | 12 | (federat\$3 near5 (search\$3 quer\$4)) and (database (data adj base)) near5 (dna biolog \$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022"@pd<"20021022"@rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S48 | 2 | (period\$6 interval\$2) near5 updat\$3 near5 result same (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S49 | 5 | (period\$6 interval\$2) near5 updat\$3 same blast and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S50 | 171 | (period\$6 interval\$2) near5 updat\$3 and blast near5 (search\$3 quer\$4 result) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S51 | 805 | (period\$6 interval\$2) same blast near5 (search\$3 quer\$4 result) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S52 | 11 | S51 and input near5 sequence | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S53 | 2 | (period\$6 interval\$2) near5 updat\$3 near5 (stored archived saved) near5 (search \$3 quer\$4) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S54 | 2 | (period\$6 interval\$2) same updat\$3 near5 (stored archived saved) near5 (search \$3 quer\$4) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S55 | 144 | (period\$6 interval\$2) same updat\$3 near5 (stored archived saved) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S56 | 2 | S55 and 707/3.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S57 | 30 | S55 and ("707" "705" "709" "715" "702").clas. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S58 | 70 | (period\$6 interval\$2) near10 blast near5 (search\$3 quer\$4 result) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S59 | 22 | S50 and ("707" "705" "709" "715" "702").clas. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S60 | 15 | (period\$6 interval\$2) near10 updat\$3 near5 version near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S61 | 21 | (period\$6 interval\$2) near10 updat\$3 same (database (data adj base)) near5 (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S62 | 284 | (period\$6 interval\$2) near10 updat\$3 same (plural\$3 multiple) near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S63 | 5 | S62 and "702".clas. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S64 | 37 | (period\$6 interval\$2 daily monthly quarterly) near10 updat\$3 same (plural\$3 multiple) near5 (database (data adj base)) and (period \$6 interval\$2 daily monthly quarterly) near5 (quer\$3 search\$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S68 | 29 | (period\$6 interval\$2) and (updat\$3 determin\$5 check\$3 identif\$4) near5 version same (database (data adj base)) near5 (dna biolog\$4 bioinformation biotech\$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S69 | 15 | (US-20070027630-\$ or US- 20030125315-\$ or US- 20030055683-\$ or US- 20030217078-\$ or US- 20010049676-\$ or US- 20020194173-\$).did. or (US- 6920396-\$ or US-7231390-\$ or US-6370560-\$ or US- 6691109-\$ or US-5852715-\$ or US-5471622-\$ or US- 6351753-\$ or US-6343275-\$ or US-5859972-\$).did. | US-PGPUB; USPAT | OR | ON | 2009/11/05 10:03 |
| S70 | 5 | (period\$6 interval\$2) near10 updat\$3 and S69 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|---------|---|---|----|----|---------------------|
| S71 | 1587102 | S69 and cdna and expressed sequence tag and pharma\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S72 | 1 | S69 and cdna and expressed near5 sequence near5 tag | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S73 | 568 | (quer\$4 search\$3) near5 result and cdna and expressed near5 sequence near5 tag and pharma\$6 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S74 | 2 | (quer\$4 search\$3) near5 result and cdna same expressed near5 sequence near5 tag same pharma\$6 and (@ad<"20021022" @pd<"20021022" @riad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S75 | 11 | (quer\$4 search\$3) near5 result same cdna same expressed near5 sequence near5 tag and pharma\$6 and (@ad<"20021022" @pd<"20021022" @riad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S76 | 746 | (period\$5 daily monthly quarterly yearly annually) near5 (quer\$4 search\$3) near5 (result database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S77 | 30 | S76 and (blast tblast) near5 (search\$3 quer\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S78 | 189 | (period\$5 daily monthly quarterly yearly annually) same updat\$3 near5 (quer\$4 search\$3) near5 (result database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S79 | 6 | (period\$5 daily monthly quarterly yearly annually) same updat\$3 near5 (blast tblast) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S80 | 15 | (US-20070027630-\$ or US-20030125315-\$ or US-20030055683-\$ or US-20030217078-\$ or US-20010049676-\$ or US-20020194173-\$).did. or (US-6920396-\$ or US-7231390-\$ or US-6370560-\$ or US-6691109-\$ or US-5852715-\$ or US-5471622-\$ or US-6351753-\$ or US-6343275-\$ or US-5859972-\$).did. | US-PGPUB; USPAT | OR | ON | 2009/11/05 10:03 |
| S81 | 1 | S80 and cdna and expressed near5 sequence near5 tag | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S82 | 134 | (quer\$4 search\$3) near5 result same cdna and expressed near5 sequence near5 tag and (@ad<"20021022"@pd<"20021022"@rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S83 | 12 | S82 and pharmacology | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S84 | 502 | (blast tblast) near5 result same cdna and expressed near5 sequence near5 tag and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S85 | 18 | S84 and pharmacology | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S86 | 69 | S82 and pharma\$6 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S87 | 1025 | (tblast blast) near5 (search\$3 quer\$4) same cdna same expressed near5 sequence near5 tag | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S88 | 691 | S87 and (@pd<"20021022" @ad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S89 | 2 | S88 and "702".clas. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S90 | 3972 | (tblast blast) near5 (search\$3 quer\$4) and cdna same expressed near5 sequence near5 tag | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S91 | 103 | S90 and "702".clas. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S92 | 45 | S91 and (@pd<"20021022" @ad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 10:03 |
| S93 | 1158 | (search\$3 quer\$4) near5 sequence near5 set and (@ad<"20021022" @pd<"20021022" @riad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 13:24 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S94 | 318 | S93 and blast near5 (search \$3 quer\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 13:24 |
| S95 | 265 | S93 and blast near5 (search \$3 quer\$4) same (database (data adj base) repository) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 13:26 |
| S96 | 25 | S93 and blast near5 (search \$3 quer\$4) same (multiple plural\$3) near5 (database (data adj base) repository) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 13:27 |
| S97 | 6 | S96 and (display\$3 present\$5 view\$3 review\$3) near5 (result summary) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 13:49 |
| S98 | 296 | immunohistological and situ adj hybridization and blast\$ near5 (search\$3 quer\$4) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 15:04 |

| | | | | | | |
|------|-----|---|---|----|----|---------------------|
| S99 | 10 | immunohistological same situ adj hybridization and blast\$ near5 (search\$3 quer\$4) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 15:05 |
| S100 | 79 | immunohistological and situ adj hybridization and blast\$ near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 15:08 |
| S101 | 12 | immunohistological same result and situ adj hybridization same result and blast\$ and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 15:08 |
| S102 | 20 | immunohistological and situ adj hybridization near5 (display\$3 present\$5) and blast\$ and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 15:10 |
| S103 | 183 | summary same situ adj hybridization and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 15:16 |

| | | | | | | |
|------|----|--|---|----|----|---------------------|
| S104 | 2 | S103 and immunohistological \$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 15:16 |
| S105 | 19 | quer\$4 same situ adj hybridization and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 15:18 |
| S106 | 52 | immunohistological same situ adj hybridization and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 15:21 |
| S107 | 17 | (US-20070027630-\$ or US- 20030125315-\$ or US- 20030055683-\$ or US- 20030217078-\$ or US- 20010049676-\$ or US- 20020194173-\$ or US- 20030118599-\$).did. or (US- 6920396-\$ or US-7231390-\$ or US-6370560-\$ or US- 6691109-\$ or US-5852715-\$ or US-5471622-\$ or US- 6351753-\$ or US-6343275-\$ or US-5859972-\$ or US- 6660841-\$).did. | US-PGPUB; USPAT | OR | ON | 2009/11/05 15:50 |

| | | | | | | |
|------|---|---------------|---|----|----|---------------------|
| S108 | 3 | S107 and situ | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/11/05 15:51 |
|------|---|---------------|---|----|----|---------------------|

11/ 5/ 2009 4:13:53 PM
C:\ Documents and Settings\ shoang\ My Documents\ EAST\ Workspaces\ son_10_532_198_case.
wsp